




Accessories for rotary tools in dental and industrial quality: Sanding Bits.

# For steel, stainless steel, cast iron, wood: Sanding Bits




14mm 11/20" 13mm 33/64"


NO 28 979

### Sanding Bands

Made of standard compounds of tough consistency and different grits for different sanding/finishing stages. Use for furniture refinishing, removing rust, and multiple sanding/ finishing jobs on wood, plastic, leather, non-ferrous metal, steel, welded joints and castings. Ideal for surface and shape sanding, smoothing of surfaces, edges, even inside curves and tough to reach areas. All shanks of pad and drum carriers  $3 \text{mm} \ \emptyset \ (7/64")$ .

1






NO 28 987

NO 28 989


NO 28 982



NO 28 983

### Sanding Discs and Caps

Made of standard compounds of tough consistency and different grits for different sanding/finishing stages. Use for furniture refinishing, removing rust, and multiple sanding/ finishing jobs on wood, plastic, leather, non-ferrous metal, steel, welded joints and castings. Ideal for surface and shape sanding, smoothing of surfaces, edges, even inside curves and tough to reach areas. All shanks of pad and drum carriers  $3 \text{mm} \ \emptyset \ (7/64")$ .



#### **Flapwheels**

Conformable flapwheel for grinding and polishing flat or contoured surfaces and working inside round work pieces. Most effectively used as finishing sander after heavier surface sanding and material removal is completed. Shanks Ø 3mm (7/64").



NO 28 282

## Nylon Fleece Brushes

For cleaning, polishing, light sanding, matt finishing and deburring of steel, stainless steel, gold, silver and titanium. One each brush coarse and fine. Shanks  $\emptyset$  2.35mm (3/32").

3

PROXXON - Sanding Bits

#### California Residents Prop 65 Information



⚠ WARNING:
This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.