



For precise machining of edges and longitudinal cuts in wood, fibreboard and suitable plastics.

MICRO shaper MP 400



For chamfering, cutting grooves, slots, recesses, radii and other profiles.

For crafting picture frames and for separating. Also enables exact manufacturing of edges and longitudinal cuts (for model building, e.g. for doors, flaps and housing parts). Powerful dust-protected motor with toothed belt drive. Double ball-bearing spindle. Tool holder with triple slit precision collets (one each of 2.4 - 3 and 3.2mm are included).

Milling cutter height adjustment by hand wheel. Stable aluminium table with longitudinal and angle stop as well as cutter guard. Adapter for vacuum cleaner fits standard household vacuum cleaners. Three HSS router cutters (slot cutter 3.2mm, V-slot cutter and core box bit) are included.

Technical data:

230V. 100W. 50/60Hz. 25.000/min. Height adjustment with scale ring adjustable to 0 (1 revolution = 1, 1 graduation = 0.05mm). Milling table 300 x 150mm. Weight approx. 2.0kg.

NO 27 050



See us on YouTube!



Video MP 400



Three HSS wood router cutters and three collets are included.




The MP 400 is fitted with a dust collection channel and vacuum adapter. We recommend the use of our compact workshop vacuum cleaner CW-matic.

HSS wood router cutters


For wood and fibreboard. Clean relief grinding for good work results and surface quality. High stability. Shafts 3.2mm.




NO 29 024
Slot cutter
Ø 3.2mm



NO 29 026
Slot cutter
Ø 4.8mm




NO 29 028
Slot cutter
Ø 6.5mm




NO 29 030
Rounding over
cutter
Ø 6.4mm




NO 29 032
V-slot
cutter
Ø 6.5mm



NO 29 034
Combi cutter
6.5/2.5mm




NO 29 036
Core box
bit
R 3.2mm



NO 29 038
Rebating cutter
6.4mm



NO 29 040
Edge cutter
with pin
5.0mm



NO 29 044
Angle cutter
45°

10-piece HSS wood router cutter set

One each: Slot cutter Ø 3.2 - 4.8 and 6.5, rounding over cutter Ø 6.4, V-slot cutter Ø 6.5, combi cutter 6.5/2.5, core box bit R 3.2, rebating cutter 6.4, edge cutter with pin 5, angle cutter 45°. Neatly packed in wooden box.

NO 29 020



Attention:

The wood router cutters offered here may only be used with working devices that have a safety or guiding mechanism. For example MICRO shaper MP 400 or router base OFV.