



Cuts aluminium, wood, PC cards and plastics with standard scroll saw blades. Controllable stroke rate.

Scroll saw DS 230/E



- ❶ Adjustable head (patent EP 09783341) offers many advantages:
- ❷ Blade usage is improved as the head may be lowered in two steps, making new blade teeth available. This effectively triples blade life.
- ❸ The lowest head position still allows blades, shortened by 60mm, to be used.

The ideal machine for the delicate job: model building, toy making and precision mechanics. With electronic speed control.

Cuts soft wood up to 40mm, hard wood up to 10mm, plastics (including PC cards) up to approx. 4mm and non-ferrous metals up to 2mm. Plane-milled die-cast aluminium table (160 x 160mm).

Saw frame with 300mm throat made from very stable ribbed die-cast aluminium. Blade guide with integrated blower. Height adjustable head (3 positions) offering important advantages (see description on the right).

Low noise and persevering AC motor with high life expectancy. Quiet and wear-resistant drive via toothed belts. Adjustable mitre fence and angle stop with scale. Includes 5 saw blades (3 coarse-toothed and 2 fine-toothed).

Technical data:

230V. 85W. Electronically controllable stroke rate from 150 - 2,500rpm. Weight approx 2kg.


NO 27 088



See us on YouTube!



Video DS 230/E



Use the vacuum cleaner adapter to keep your work area cleaner. We recommend the use of our compact workshop vacuum cleaner CW-matic.

"Super-Cut" scroll saw blades

High quality steel for extended use and prolonged cutting capacity. Standard version without pin.

Hard and soft woods, plastic, Perspex and soft non-ferrous metal.



Coarse-toothed blades (No. 9: 14 teeth per 25mm)

NO 28 116 130 x 1.50 x 0.48mm 12 pieces

Standard-toothed blades (No. 5: 17 teeth per 25mm)

NO 28 117 130 x 1.20 x 0.38mm 12 pieces

Fine-toothed blades (No. 3: 34 teeth per 25mm)

NO 28 118 130 x 0.80 x 0.34mm 12 pieces

Hard materials such as steel and PERTINAX.



Standard-toothed blades (No. 5: 36 teeth per 25mm)

NO 28 112 130 x 0.85 x 0.4mm 12 pieces

Fine-toothed blades (No. 3: 41 teeth per 25mm)

NO 28 113 130 x 0.75 x 0.36mm 12 pieces

Very fine-toothed blades (No. 1: 50 teeth per 25mm)

NO 28 114 130 x 0.6 x 0.3mm 12 pieces