



For perfect surfaces even in tight spots. Made in EU.

Angle polisher WP/E

Rotary motion for efficient polishing and for cleaning, rust removal and the "finishing touches" after varnishing.



Balanced special motor, powerful, quiet and long-lasting. Quiet planetary gear in diecast aluminium housing and continuously variable speed control (full-wave electronics) for low and constant speeds even during high contact pressure. Main housing of glassfibre reinforced POLYAMIDE with soft component.

Securely stored in stylish case made of high-grade polypropylene with original equipment for immediate use: Foam backing pad Ø 50 mm with hook and loop fastening, polishing sponge (medium hard), lambswool polishing disc, polishing felt (medium hard), 12 sanding discs K 2000, two-stage SONAX polishing emulsion for refurbishing paintwork (2x 25ml), as well as a microfibre cloth.

The heart of our MICROMOT precision tools for 230V: the direct current (DC) special motor.

Technical data:

230V. 100W. 800 - 2,800rpm Length 270mm. Weight 720g. Insulated to class 2.

NO 28 660



See us on YouTube!



Video WP/E




Packed in storage case, including extensive original equipment for immediate use.

Accessories for the angle polisher WP/E

Flexible sanding pads

Self-adhesive type. Adapts precisely to uneven surfaces due to foam body. Silicon carbide with high durability thanks to backing in a net structure (prevents clogging by dust). Ideal for smart-repair, fine sanding and reworking of 3D printed parts. Ø 50mm.



NO 28 672	6 pieces	K 1000
NO 28 674	6 pieces	K 2000

Eraser disc

Used for removal of glue residual, foil or other superficial pollutants. Ideal for removing glue residues from balancing weights on light alloy rims. Ø 50mm.

NO 29 068



Foam backing pad

With hook and loop fastening. For use with corundum bound sanding discs and sanding fleece.

NO 29 074	Ø 30mm
NO 29 098	Ø 50mm



Polishing felt, medium hard

For polishing metals (e.g. stainless steel, brass and copper). With hook and loop fastening. Ø 50mm.

NO 28 666 2 pieces



Lambswool polishing disc

Of high quality, dense lambswool for polishing scratch-proof paints. With hook and loop fastening. Ø 50mm.


NO 28 664 2 pieces



Super-fine sanding discs


From silicon carbide. For adding finishing touches to paint or removing varnish runs and inclusions. Ø 50mm.

NO 28 667	12 pieces	grit 400
NO 28 668	12 pieces	grit 1,000
NO 28 670	12 pieces	grit 2,000



Professional set for finish grinding and polishing

Includes 80mm extension and 30mm backing pad (for hook and loop quick-fastening). For repairs and work in tight places, e.g. on motorcycles, rims, car interior and engine compartment. 80mm extension to reach also deep-lying problem areas. In addition to the extension and 30mm foam support plate, the scope of supply includes wave edged sanding discs each 12 pcs. 1,000 and 2,500 grit as well as conical polishing sponges each one hard, medium and soft.



NO 29 070

From of our professional set for finish grinding and polishing (NO 29 070) - now available individually: Professional polishing sponges

For applying the polishing emulsion to painted and uncoated metal surfaces and for subsequent polishing. With hook and loop fastening. Ø 30 x 25mm. Conical.

- NO 29 076** 2 pieces hard (white)
- NO 29 077** 2 pieces medium (yellow)
- NO 29 078** 2 pieces soft (black)



Professional polishing sponges (Ø 50mm)

For applying the polishing emulsion to painted and metal surfaces with subsequent polishing. With hook and loop fastening. Ø 50 x 25mm.

- NO 29 092** 2 pieces soft (black)
- NO 29 094** 2 pieces medium (yellow)
- NO 29 096** 2 pieces hard (white)



Wave-edged sanding discs

From silicon-carbide. For adding finishing touches to paint or removing varnish runs and inclusions, especially in the automotive sector (spot-repair). Ø 30mm.

- NO 29 082** 12 pieces grit 1,000
- NO 29 084** 12 pieces grit 2,500

