



Strong problem solvers for craft and industry! Made in Europe.

Cordless long neck angle grinder LHW/A



For working on steel, non-ferrous metal, glass, ceramics, wood and plastic. For cutting, roughing and grinding.

With variable electronic speed control for high torque, even in the lower speed range. A corundum grinding disc (grit 60), a fan sander (grit 100) and a reinforced cutting disc are included. Safely stored in an attractive plastic case. Set includes LHW/A, lithium-ion battery Li/A2 (10.8V) and rapid battery charger LG/A2.

The LHW/A is top-quality and his performance is comparable to our mains-powered counterparts. For outdoor jobs or if an extension lead needs to be used, this tool is very useful.

Technical data:

10.8V. 5,000 - 16,000rpm. Discs Ø 50mm with 10mm bore. Length 320mm. Weight approx. 800g (including battery).

NO 29 815



See us on YouTube!



The LHW/A comes safely packed in a practical, attractive and super-sturdy plastic case made from high-quality PP. A product label on the side of the case details its contents.

Cordless long neck angle grinder LHW/A, available individually



As described above, also including the specified accessories. But without battery and without rapid charger. Packed in a cardboard box.

NO 29 817



Video LHW/A

- High quality 10.8V lithium-ion battery with 2.5Ah for a performance comparable to the mains-powered counterpart.
- One battery charge allows for at least 30 minutes of use even at maximum power. No other cordless tool lasts longer in this class!
- Gear head of die-cast aluminium. Main housing of glass-fibre reinforced POLYAMIDE with soft component in grip area.
- With continuously variable speed control and special balanced DC motor: powerful, quiet and durable.



Practical:

The flat end cap of the battery enables the tools to stand upright as well.

Accessories for cordless long neck angle grinder LHW/A

Backing disc

Self-adhesive type, for use with corundum bound sanding discs and sanding fleece.
Ø 50mm.

NO 28 548

1 piece



Sanding & Grinding

Corundum sanding disc

Self-adhesive type, used on flat and convex surfaces. Ø 50mm.
Supplied without backing pad.


NO 28 549	80 grit	12 pieces
NO 28 550	150 grit	12 pieces



Sanding fleece

Self-adhesive type, used for cleaning, matting and sanding of steel, stainless steel and non-ferrous metals. Also used for paint removal.
Supplied without backing pad.


NO 28 554	medium	5 pieces
NO 28 555	fine	5 pieces



Coarse cleaning disc

Abrasive fleece, used for cleaning, paint, rust and scale removal of metallic surfaces. For preparation of welding spots. For preparation of welding spots. Ø 50mm.

NO 28 553	6 pieces
------------------	----------



Corundum grinding disc

Used for de-burring, grinding, sharpening and derusting steel and non-ferrous metals. Ø 50mm.

NO 28 585 60 grit



Silicon carbide grinding disc

Used on hard materials such as glass, stone, ceramics and even hardened steel. Ø 50mm.

NO 28 587 60 grit



Corundum fan sander

For grinding tempered cast iron, cast iron, stainless steel, non-ferrous metals, wood and plastic. Low wear-resistant. Ø 50mm.

NO 28 590 100 grit

NO 28 591 240 grit



Cutting

Corundum bound cutting disc

With woven reinforcement, 50 x 1 x 10mm. For cutting steel, non-ferrous metals, plastic and wood. Ø 50mm.

NO 28 155 5 pieces



Diamond-coated cutting disc with Turbo Rim

For extremely fast cuts and extraordinary durability in granite, marble, stoneware and ceramic materials. Also for cutting corner protection profiles without tempering colours. Thickness 1.7mm. Ø 50mm.

NO 28 157



Diamond-coated fine cutting disc

For very thin, precise and short cuts in ceramic materials and glass. Thickness 0.8mm. Ø 50mm.

NO 28 158



Diamond-coated cutting disc

For fine cuts in hard materials such as glass, porcelain, ceramics and tiles. Less heating up due to cooling holes. Thickness 1.2mm. Ø 50mm.

NO 28 558



Diamond-coated cutting and roughing disc

For cutting, grinding and roughing of hard materials such as glass, porcelain, ceramics and stone. Less heating up due to cooling holes. Thickness 2.1mm. Ø 50mm.

NO 28 557



Tungsten carbide cutting disc

Less heating up due to cooling holes. For cutting wood (especially wooden floors) and jointing mortar. Thickness 1.3mm. Ø 50mm.

NO 28 556



Rasping

Tungsten carbide rasp- and cutting disc

High stock removal in wood and soft materials. Cranked design for convenient shaping and modelling in wood, gypsum and horn (animal hooves). Less heating up due to cooling holes. Thickness 3.0mm. Ø 50mm.

NO 28 559



Rasp plate with metal burrs made from tungsten carbide

For model-making, cleaning and smoothing of wood, plastics and glass-fibre reinforced objects. No expenditure of effort is needed, easy and precise handling. Not suitable for metal processing.

NO 29 050



**The MICROMOT lithium-ion battery system: Strong problem solvers for craft and industry.
One battery and one rapid charger only for now already eleven professional tools:**



Eleven power tools - one system!

Rapid battery charger LG/A2

Charges the PROXXON lithium-ion battery Li/A2 in one hour. With integrated temperature control. LED signal light: Yellow = charging, Green = charged.

Technical data:

Input 100 - 240V, 50/60Hz. Output 12.6V, 2A. Weight approx. 340g.

NO 29 880



Lithium-ion battery Li/A2

For long and durable powerful operation of our MICROMOT cordless tools. With integrated temperature control for safe operation.

Technical data:

Voltage 10.8V. Capacity 2.5Ah. Length 85mm. Weight 180g.

NO 29 896

