



***For perfect surfaces even in tight spots. For professional use.
Made in EU.***

Cordless random orbital polisher EP/A



The 11mm stroke of the polisher allows for hologram-free polishing on painted and uncoated metal surfaces without heating.

Balanced special motor, powerful, quiet and long-lasting with infinitely variable speed control. Quiet planetary gear in die-cast aluminium housing with balanced eccentric sheave for constant polishing. Main housing of glass-fibre reinforced POLYAMIDE with soft component.

Securely stored in stylish case made of high-grade POLYPROPYLENE with original equipment for immediate use: Foam backing pad Ø 50 mm with hook and loop fastening, polishing sponge (medium hard), lambswool polishing disc, polishing felt (medium hard), 12 sanding discs K 2000, two-stage SONAX polishing emulsion for refurbishing paintwork (2x 25ml), microfibre cloth and spanner for tool change. Set includes EP/A, lithium-ion battery Li/A2 (10.8V) and rapid battery charger LG/A2.

Technical data:

10.8V DC. Spindle speeds 1,100 - 2,800rpm. Eccentric stroke 11mm. Length 305mm. Weight 950g (including battery).

NO 29 835



See us on YouTube!



Supplied in a storage box of high-grade polypropylene including the selection of accessories for immediate use.

Cordless orbital free-running polisher EP/A



As described above, including accessories, but without battery and rapid charger. Packed in cardboard box.

NO 29 837

- Problem solvers in the automotive sector.
- High quality 10.8V lithium-ion battery with 2.6Ah for highest performance.
- One battery charge allows for at least 30 minutes of use even at maximum power.



Practical:

The flat end cap of the battery enables the tools to stand upright as well.

**The MICROMOT lithium-ion battery system: Strong problem solvers for craft and industry.
One battery and one rapid charger only for now already eleven professional tools:**



Eleven power tools - one system!

Rapid battery charger LG/A2

Charges the PROXXON lithium-ion battery Li/A2 in one hour. With integrated temperature control. LED signal light: Yellow = charging, Green = charged.

Technical data:

Input 100 - 240V, 50/60Hz. Output 12.6V, 2A. Weight approx. 340g.

NO 29 880



Lithium-ion battery Li/A2

For long and durable powerful operation of our MICROMOT cordless tools. With integrated temperature control for safe operation.

Technical data:

Voltage 10.8V. Capacity 2.6Ah. Length 85mm. Weight 180g.

NO 29 896



Accessories for polishers WP/E, WP/A, EP/E and EP/A (Ø 30mm and Ø 50mm)

Foam backing pad

With hook and loop fastening. For use with corundum bound sanding discs and sanding fleece.

NO 29 074 Ø 30mm
 NO 29 098 Ø 50mm



Polishing felt, medium hard

For polishing metals (e.g. stainless steel, brass and copper). With hook and loop fastening. Ø 50mm.

NO 28 666 2 pieces



Lambswool polishing disc

Of high quality, dense lambswool for polishing scratch-proof paints. With hook and loop fastening. Ø 50mm.

NO 28 664 2 pieces



Super-fine sanding discs

From silicon carbide. For adding finishing touches to paint or removing varnish runs and inclusions. Ø 50mm.

NO 28 667 12 pieces grit 400
 NO 28 668 12 pieces grit 1,000
 NO 28 670 12 pieces grit 2,000



Wave-edged sanding discs

From silicon-carbide. For adding finishing touches to paint or removing varnish runs and inclusions, especially in the automotive sector (spot-repair). Ø 30mm.

- NO 29 082** 12 pieces grit 1,000
- NO 29 084** 12 pieces grit 2,500



From of our professional set for finish grinding and polishing (NO 29 070) - now available individually: Professional polishing sponges

For applying the polishing emulsion to painted and uncoated metal surfaces and for subsequent polishing. With hook and loop fastening. Ø 30 x 25mm. Conical.

- NO 29 076** 2 pieces hard (white)
- NO 29 077** 2 pieces medium (yellow)
- NO 29 078** 2 pieces soft (black)



Professional polishing sponges (Ø 50mm)

For applying the polishing emulsion to painted and metal surfaces with subsequent polishing. With hook and loop fastening. Ø 50 x 25mm.

- NO 29 092** 2 pieces soft (black)
- NO 29 094** 2 pieces medium (yellow)
- NO 29 096** 2 pieces hard (white)

