



*The long slim die-cast head makes these sanders preeminently versatile!*

## Longneck Angle Grinder LHW/E



This light, compact and user-friendly unit is the real alternative to pneumatic tools for grinding, deburring, roughing, finishing – wherever working in tight spaces. It is also great for paint and rust removal, cutting small components and sharpening tools. The powerful permanent magnet motor has a high lifetime and performs with high torque.

The heart of our MICROMOT precision tools for 115V: the direct current (DC) special motor.

### Technical data:

Volts	110 - 120V AC, 60Hz
Max. Power	1/8hp (100W)
Speed	3,300 - 13,000rpm
Length	11 13/32" (290mm)
Weight	1.2 lb (550g)
Disc	Ø 2" (50mm), bore: 13/32" (10mm)

Complete with one aluminum-oxide grinding disc (60 grit), one flap disc (100 grit) and one aluminum-oxide cut-off wheel.

**NO 38 544**



See us on YouTube!

### California Residents Prop 65 Information

#### **⚠ WARNING:**

This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Video LHW/E



The Longneck Angle Grinder LHW/E is supplied in a new, high-quality PP storage case. It has a strong frame, is extremely stable and large enough to repack in the case without "fiddling around". With lateral sticker for identification of the content.

#### Corundum Grinding Disc for LHW/E

Ideal for grinding, deburring, sharpening, rust removal and roughing of steel and non-ferrous metal.

**NO 28 585** 60 grit



#### Silicon-Carbide Grinding Disc for LHW/E

Ideal for grinding, deburring, sharpening, rust removal and roughing of stone, glass, ceramics and other very hard materials.

**NO 28 587** 60 grit



#### Flap Disc for LHW/E

The flap disc is made from aluminum-oxide with a high stock removal rate and is ideal for grinding and smoothing of cast iron, gray cast iron, stainless steel, steel, non-ferrous metal, wood and plastic.

**NO 28 590** 100 grit



#### Cut-off wheel for long neck angle grinder

Ideal for cutting steel, non-ferrous metals, smaller plastic and wooden bars.

**NO 28 155** set of 5



#### Backing Disc for LHW/E

Hook and loop type, for use with sanding discs and sanding fleece.

**NO 28 548**



### Corundum Sanding Discs for LHW/E

Hook and loop type, used on flat and convex surfaces.

- |                  |          |           |
|------------------|----------|-----------|
| <b>NO 28 549</b> | 80 grit  | set of 12 |
| <b>NO 28 550</b> | 150 grit | set of 12 |



### Sanding Fleece for LHW/E

Hook and loop type, used for cleaning, matting and sanding of steel, stainless, steel, non-ferrous metals. Also used for paint removal.

- |                  |        |          |
|------------------|--------|----------|
| <b>NO 28 554</b> | medium | set of 5 |
| <b>NO 28 555</b> | fine   | set of 5 |



### Disc with tungsten carbide burrs for LHW/E

Carving wheel with needle-like tungsten carbide teeth. Ideal for carving and sculpting, roughing and finishing in wood plastics and fiberglass. Smooth cutting and excellent control. Maximum RPM 15,000. Do not use on metal.



**NO 29 050**

